

## Chapter 5

### **DEPARTMENT OF SPACE PHYSICS**

#### **5.1. STAFF**

##### **5.1.1. Scientific staff**

Ján Baláž, Pavol Bobík, Radoslav Bučík (from May 2004), Ladislav Just (died on March 7, 2004), Karel Kudela (Head of Department), Marián Slivka

##### **5.1.2. Technical staff**

Vladimír Kollár, Igor Strhársky, Ronald Langer, Jana Štetiárová, Samuel Štefánik, Anna Tomičová

#### **5.2. SCIENTIFIC ACTIVITIES**

##### **5.2.1. Introduction**

The department of Space Physics is one of the oldest departments of the Institute. The current research of the department is oriented to the experimental study of energetic particles in space. Along with the cosmic ray (CR) studies related mainly to the ground based measurements, the experimental studies of medium energy particles on the satellites are continuing. The two types of studies are devoted mainly to obtain the relevant information on the physical processes within the Earth's magnetosphere and in the heliosphere: those in which the energetic particles are either directly involved or those on which the particles provide a remote characteristic. In addition, the passive dosimetric studies on the orbital station and the heavy nuclei interactions are also continuing. The dynamics of energetic particles are studied in relations to the effects of space weather.

##### **5.2.2. Projects**

*Slovak Grant Agency VEGA:*

2/1147/21 Transport of energetic particles in the magnetosphere and heliosphere

Principal Investigator: K. Kudela

Deputy of Principal Investigator: M. Slivka (the project finished in December 2003).

1/9036/02 Production of secondary particles in nuclear interactions of relativistic nuclei in emulsion detector

Deputy of Principal Investigator: L. Just (the project finished in December 2004)

2/4064/24 Energetic particles in space: relations to space weather

Principal investigator: K. Kudela, started in January 2004.

*Agency for Support of Science and Technology:*

APVT 0259 Monitoring of energetic particles in near Earth's environment: relations to space weather – influence on flight personnel (started from October 2002, joint with the Air Force Military Hospital, Košice)  
Principal Investigator: K. Kudela

### **5.2.3. International collaboration.**

In the period 2003-2004 the collaboration with scientists and technicians of many institutions in abroad was productive and influenced the activity, scientific orientation and results obtained in the Department. Among them the collaborations with colleagues from laboratories in the following countries is listed below:

Czech republic (Faculty of Mathematics and Physics of the Charles University Prague; Institute of Nuclear Physics of the Czech Academy of Sciences, Prague; Institute of Atmospheric Physics of the Czech Academy of Sciences, Prague)

Finland (University of Oulu)

Greece (Demokritos University of Thrace, Xanthi)

Hungary (RMKI KFKI Physical Institute, Hungarian Academy of Sciences, Budapest).

China (Center for Space Science and Applied Research, Beijing)

Ireland (Space Technology Ireland of National University of Ireland, Maynooth).

Italy (IFSI CNR, Institute of Physics of Interplanetary Space, Rome; INFN Milan)

Poland (CBK, Center for Space Research, Polish Academy of Sciences, Warsaw)

Russia (NIIJaF MGU, Nuclear Physics Institute of the Moscow State University; Space Research Institute, Russian Acad. Sci., Moscow; Institute of Cosmophysics and Aeronomy, Yakutsk; IZMIRAN)

Sweden (Institute of Space Physics, Kiruna)

Ukraine (University of Kiev; Main Astronomical Observatory, Kiev)

USA (NASA GSFC, Greenbelt, MD; University of Alabama, Huntsville; MSFC, Huntsville, Alabama)

The collaboration with several institutions in Slovakia was productive, e.g. with Astronomical Institute of Slovak Acad. Sci., Tatranská Lomnica, Faculty of Electrotechnical Engineering and Informatics, Technical University Košice, Faculty of Science, P.J. Šafárik University Košice).


The list is not complete and several other collaborations started recently.

## 5.3. RESULTS

### 5.3.1. Cosmic ray dynamics at neutron monitor energies and above [11-18,36,46-54,56-59,64-70,77,106-108,119-120,127-135]



The measurements of secondary cosmic rays by neutron monitor at Lomnický štít run in continual regime with the preliminary data displayed in real time at <http://neutronmonitor.ta3.sk> and updated with 1 min resolution.

We have developed a code to reconstruct the cosmic ray trajectory in the Earth's magnetosphere. This code solves the Lorentz equation and propagates a particle backward in time. The Tsyganenko'89 magnetic field model represents the external field disturbances.




*Fig.1. The transmissivity functions for Lomnický Štít, 24-hour averaged, calculated using the Ts89 model for different levels of geomagnetic activity as calculated according to Tsygenenko 89 geomagnetic field model.*

Detailed computations of the cosmic ray trajectories in IGRF field model were used for creating maps of constant vertical cutoff rigidity in the past. The result relatively strongly depends on the correctness of the expansion of the geomagnetic field potential for the past periods.



*Fig. 2. The contours of differences of the vertical cutoff rigidity for the epochs 1600 and 1900 obtained for dipolar approximation (upper panel) and for the approximation using first 10 Gauss coefficient of geomagnetic field potential expansion.*

The total magnetic field was evaluated also by using the International Geomagnetic Reference Field (IGRF) for the period 2000-2005 with the external magnetic field model Tsyganenko-96. This code has been used both for a simulation of randomly generated inputs and for the analysis of the AMS-01 experiment data taken during the STS-91 Space Shuttle mission in June 1998. We have built the transmission function in the magnetosphere for 1998 for several regions with different geomagnetic latitude. The same simulation has also been performed for the magnetic conditions of the year 2005, the expected starting time of the long-duration AMS-02 data taking. Then we have estimated the variation of the transmission function with time and obtained the primary Cosmic Ray flux at the altitude of 400 km starting from the flux at 1 AU as predicted by the CREME96 model. As AMS-01 has shown, measured spectra of protons at Space Shuttle orbit are contaminated by a population of secondaries. The method of the magnetospheric transmission function in combination with measured (AMS-01) and simulated (CREME96) cosmic protons spectra can be used to disentangle the contribution of primary protons to the measured spectra. Furthermore this method can be used to recover cosmic ray spectra outside the magnetosphere, starting from measured primary spectra in near Earth orbit.



*Fig. 3. Primary proton spectra at AMS orbit (region 10 - region with highest latitude) for June 1998 and October 2005.*

### 5.3.2. Medium energy particles within the magnetosphere and near its boundaries

#### 5.3.2.1. High apogee satellites. Interball and others[6,7,9,10,20,25,26,34,40-45,60,71,73-76,79,80,101,113-115,121-123,125,126]

Both case and statistical studies were done with using the large amount of data by energetic particle instruments DOK-2 on Interball-tail and Interball-aureoral, as well as by its simplified versions DOK-S on the corresponding subsatellites, Magion-4 and Magion-5.

Ions (10 to several 100 keV) are common feature in the region upstream from the Earth's bow shock. However, their origin remains the subject discussed and not unambiguously solved yet. We used data of DOK-2 on Interball-1 (~20-600 keV). Extensive set of ions upstream from the Earth's dayside bow shock for a wide variety of geomagnetic and solar wind conditions. Previously we described the pattern at low energies (~20 to 30 keV). We presented a survey describing the dependence of the diffusive ion flux at various energies on  $\theta_{Bn}$ , on geomagnetic activity, and on the component of the solar wind speed parallel to IMF **B**.

Out of ~43000 we selected 7829 bins when the connection to the bow shock was found according to the model and simultaneously the ratio of lowest energy count rates of detectors 2 and 1 did not exceed factor of 2 (diffusive events,  $0.5 < 1p_1/1p_2 < 2$ ).




Fig.4. The linear correlation of the ion flux in the upstream region at different energies with the angle  $\theta_{Bn}$ , with  $K_p$  and with  $d$  (distance to the bow shock along the magnetic field line).

Most important parameter controlling the flux of energetic diffusive ions outside the bow shock up to ~ 150 keV is  $\theta_{Bn}$ . While flux correlation with  $\theta_{Bn}$  decreases with the energy, the correlation with  $K_p$  increases and both values are comparable above 150 keV.

For quasi-parallel shocks the slope of energy spectra of is strongly correlated with  $V_{sw} \cos(\theta_{Bn})$ . However, it is also correlated with geomagnetic activity. For  $Bz > 0$  slightly higher correlation of the spectral slope is found with  $V_{sw} \cos(\theta_{Bn})$  than for  $Bz < 0$ .


Signatures of both mechanisms, i.e. of preferential acceleration of solar wind ions at quasiparallel shock by Fermi mechanism, and of magnetospheric particle contribution to the upstream ion population, are seen. We show how their relative importance is changing with the energy on Interball orbit.

It was shown that the high correlation of energetic ions in the region upstream from the Earth's bow shock with the geometry to the bow shock is seen in the diffusional quasi-isotropic cases, while for the anisotropic cases there is much better relation to the level of geomagnetic activity than to the bow shock geometry.

### 5.3.2.2 Low altitude satellite measurements [8,19,23,24,27-33,35,37-39,55,61-63,72,78,81-99,105,109-112,116-118,124,136]

#### CORONAS I.

From the experiment SONG the fluxes of  $\gamma$  rays and their connection to radiation belt electrons were studied.



*Fig. 5. The L-B distribution of 3.-8.3 MeV gamma-ray fluxes at  $\sim 500$  km as measured by the SONG instrument on board CORONAS-I satellite. The color-coded fluxes (in counts/s.MeV) are averaged throughout the period March-June*

*1994. The white line represents mirror points (indicated by value of B) at 500 km for which minimum longitude trace altitude Hmin is exactly at 100 km.*

Since altitude 100 km can be considered as a limit between zero and total absorption in the Earth's atmosphere, the line in the graph separates L-B space on two parts, the region of stable trapped charge particle population (the area below the white line where  $H_{min} > 100$  km) and area of atmospheric drift loss cone particles (above the line,  $H_{min} < 100$  km).


In the Earth's environment the electron bremsstrahlung is only significant mechanism for production of gamma rays in energy range of 3.-8.3 MeV. The contribution of Compton scattered gamma rays comming from decay of neutral pi mesons originating in the nuclear interactions of protons in any local matter can also be considered.

The most intense fluxes observed at  $L < 2$  are due to local production (in satellite matter) of stable trapped particles (mainly electrons) in the inner radiation belt. The presence of enhanced fluxes in atmospheric drift loss cone (where particles live ten's minutes) for  $L > 2.5$  indicate their high temporal variability in the outer radiation belt. There, also particles precipitated into the local loss cone contribute to the gamma ray production in both areas separates by white line. The gamma rays in the outer radiation zone are therefore combination of artificial (satellite) and atmospheric emission caused by stable trapped and precipitating particle/electron population. The higher fluxes observed in the inner zone simply reflect fact that at low altitudes ( $\sim 500$  km), satellite can reach the highly populated equatorial region only in the inner radiation belt. This is also explaining for the steeper flux gradient in the inner zone which is controlled by the density distribution of the atmosphere.

## CORONAS-F .

Low altitude polar orbiting satellite CORONAS-F is measuring the energetic particles both electrically charged as well as gamma rays and neutrons successfully from August 2001 until at least end of October 2004. Large amount of measurements was analyzed in cooperation


with Skobeltsyn Institute of Nuclear Physics, Moscow State University.



1630-1636 UT on August 25, 2001


*Fig. 6. Data obtained from measurements by SONG instrument on CORONAS F satellite during the solar flare with high energy gamma ray emission on August 25, 2001. The count rates in different channels are displayed. A strong increase of high energy gamma rays (up to at least 20 MeV) was observed from that solar flare. SONG experiment observed also increase due to solar neutrons from that flare in time coincidence with ground based measurements of solar neutrons.*

The unusually strong solar, interplanetary and geomagnetic disturbances observed in late October and in November 2003 produced also emissions of high energy solar gamma rays.



*Fig. 7. The flux of gamma rays observed by SONG-M from the solar flare on October 28, 2003. The flare was of class 17.2 and of importance 4B, its coordinates were S16E18.*

The strong geomagnetic disturbances in late October – November 2003 lead also to unusual redistribution of the energetic electrons of the outer radiation belts, as observed on CORONAS-F.




*Fig. 8. During the three geomagnetic storms in late October and in November 2003 a strong shift of the position of the outer electron radiation belt maximum to unusually low  $L$  values was observed by CORONAS-F. It was possible to test the value of the shift earlier found empirically and confirmed at weaker geomagnetic disturbances. The three points added at the scatter plot  $L_{\text{max}}$  vs  $|D_{\text{st}}|_{\text{max}}$ , measured by SAMPEX, HEO accomplished by CORONAS-F indicate the validity of the relation between  $L_{\text{max}}$  and  $|D_{\text{st}}|_{\text{max}}$  for strong disturbances.*

### 5.3.3. New experiments in space.

#### Project Double Star / NUADU [102,103,104]

The energetic neutral atom imager NUADU is one of the scientific instruments on TC-2 of

Double Star mission (cooperation ESA and China). TC-2 was launched in China on July 25, 2004 onto the orbit with 90 ° inclination, apogee ~38 thousand km and perigee ~680 km. The orbital period is ~11.5 hours. The NUADU instrument was constructed with participation of Ján Baláž and Igor Strhársky of the Department of Space Physics in the frame of cooperation between STIL Maznooth, Ireland and IEP SAS, under the supervision of Prof. Susan McKenna-Lawlor, PI of the experiment. After the launch the instrument started to work correctly according to the expectations based on tests before the launch. The first examples of events with energetic neutral atom emission indications have been found.



*Fig. 9. Ireland's national instrument NUADU (NeUtral Atom Detector Unit) for China's Double Star Polar Mission (Principal Investigator Susan McKenna-Lawlor). Launch is scheduled for July 2004. IEP SAS participated in the development and construction of this experiment.*

#### **5.3.4. Fragmentation of nuclei in emulsions [1-5,21,22]**

Several original physical results were obtained from the analysis of nuclear emulsion tracks created in the accelerator experiments oriented to the study of fragmentation of energetic nuclei. This work yielded into publications in refereed international journals. The work was done by Dr. Ladislav Just, PhD, who died on March 7, 2004.

#### **5.4. Papers and presentations.**

1. Adamovich MI, Andreeva NP, Basova ES, Bradnova V, Bubnov VI, Chernyavsky MM, Gaitinov AS, Gulamov KG, Haiduc M, Hasegan D, Just L, Kanygina EK, Kharlamov SP, Kovalenko AD, Krasnov SA, Kravcakova A, Larionova VG, Lebedev IA, Levitskaya OV, Lukicheva NS, Musaeva AK, Nasyrov SZ, Navotny VS, Orlova GI, Peresadko NG, Philippova LN, Plyushchev VA, Rusakova VV, Saidkhanov N, Salmanova NA, Seitimbetov AM, Tretyakova MI, Saidkhanov N, Salmanova NA, Seitimbetov AM, Tretyakova MI, Trofimova TP, Vokal S, Vrlakova J, Zarubin PI, Zhokhova SI, Flow effects in high-energy nucleus collisions with Ag(Br) in emulsion, *PHYSICS OF ATOMIC NUCLEI*, 67 (2): 273-280 FEB 2004
2. Adamovich MI, Andreeva NP, Basova ES, Bradnova V, Bubnov VI, Chernyavsky MM, Gaitinov AS, Gulamov KG, Haiduc M, Hasegan D, Just L, Kanygina EK, Kharlamov SP, Kovalenko AD, Krasnov SA, Kravcakova A, Larionova VG, Lebedev IA, Levitskaya OV, Lukicheva NS, Musaeva AK, Nasyrov SZ, Navotny VS, Orlova GI, Peresadko NG, Philippova LN, Plyushchev VA, Rusakova VV, Saidkhanov N, Salmanova NA, Seitimbetov AM, Tretyakova MI, Saidkhanov N, Salmanova NA, Seitimbetov AM, Tretyakova MI, Trofimova TP, Vokal S, Vrlakova J, Zarubin PI, Zhokhova SI, Flow effects in high-energy nucleus collisions with Ag(Br) in emulsion, *PHYSICS OF ATOMIC NUCLEI* 67 (2): 273-280 FEB 2004
3. Adamovich MI, Bradnova V, Vokal S, Gerasimov SG, Dronov VA, Zarubin PI, Kovalenko AD, Kotel'nikov KA, Krasnov VA, Larionova VG, Lepekhin FG, Malakhov AI, Orlova GI, Peresadko NG, Polukhina NG, Rukoyatkin PA, Rusakova VV, Salmanova NA, Simonov BB, Chernyavsky MM, Haiduc M, Kharlamov SP, Just L, Investigation of clustering in light nuclei by means of relativistic-multiparticle fragmentation processes, *PHYSICS OF ATOMIC NUCLEI*, 67 (3): 514-517 MAR 2004
4. Adamovich MI, Bradnova V, Vokal S, Gerasimov SG, Dronov VA, Zarubin PI, Kovalenko AD, Kotel'nikov KA, Krasnov VA, Larionova VG, Lepekhin FG, Malakhov AI, Orlova GI, Peresadko NG, Polukhina NG, Rukoyatkin PA, Rusakova VV, Salmanova NA, Simonov BB, Chernyavsky MM, Haiduc M, Kharlamov SP, Just L, Investigation of clustering in light nuclei by means of relativistic-multiparticle fragmentation processes, *PHYSICS OF ATOMIC NUCLEI* 67 (3): 514-517 MAR 2004
5. Akatov YA, Akulin AI, Asoskova EO, Belyaev AA, Gagarin YF, Gordeev YP, Grachev EA, Grigoryan OR, Kudela K, Myasnikov AG, Just L, The radiation-measuring complex of the SPRUT-VI system, *INSTRUMENTS AND EXPERIMENTAL TECHNIQUES* 47 (1): 103-108 JAN-FEB 2004
6. Anagnostopoulos, G.C., E.T. Sarris, K. Kudela and M. Vandas, Simultaneous spectral variations of energetic ions in the nightside magnetosphere and upstream from the bow shock, *Adv. Space Res.*, Vol. 30, No 10, pp. 2253-2258, 2002
7. Blecki J, Savin S, Rothkaehl H, Stasiewicz K, Wronowski R, Němeček Z, Šafránková J, Kudela K, The role of wave-particle interactions in the dynamics of plasma in the polar cusp, *Cosmic Res.*, 41 (4): 332-339, 2003

8. Blecki, J., M. Parrot, D. Lagoutte, J. Slominski, R. Wronowski, J.Y Brochot, R. Bučík, Satellite DEMETER as a monitor of the ionospheric effects of the natural hazard, First European Space Weather Week, ESTEC, Noordwijk, Holland, 29.11.-3.12, 2004
9. Blecki, J., S. Savin, N. Cornilleau-Wehrlin, M. Parrot, R. Wronowski, K. Kudela, O. Santolik, J.-A. Sauvaud, Bursts of plasma waves in the Magnetospheric Tail in the vicinity of the reconnection site, STAMMS, Orleans, France, May 12-16, 2003,
10. Blecki, N. Cornilleau-Wehrlin, M. Parrot, P. Decreau, J-L. Rauch, S. Savin, H. Rothkaehl, R. Bučík, K. Kudela, R. Wronowski, High energetic electrons and electron cyclotron waves and their harmonics in the polar cusp, abstract COSPAR04-A-02038, 35th COSPAR Scientific Assembly, Paris, France, 19-25 July 2004.
11. Bobik P, Storini M, Kudela K, Cordaro E. G, Cosmic-ray transparency for a medium-latitude observatory, *Nuovo Cimento C*, 26 (2): 177-189, 2003
12. Bobik, P., M. Boschini, M. Gervasi, D. Grandi, E. Micelotta and P. G. Rancoita, A normalization procedure for Creme96 spectra, 8th ICATPP Conference on Astroparticle, Particle, Space Physics, Detectors and Medical Physics Applications (Instrumentation as a tool for detection of radiation and effects of radiation in particle physics, astroparticle physics, space and medical applications), Villa Erba, Como 6-10 October 2003
13. Bobik, P., M. Boschini, M. Gervasi, D. Grandi, E. Micelotta, P.G. Rancoita, A backtracing method to separate primary and secondary Cosmic Rays measured near Earth and to study the properties of the AMS radiation belts, The International Space Environment Conference 2003: Radiation Belt Science (ISEC 2003), September 2-5, Toulouse, France
14. Bobik, P., M. Boschini, M. Gervasi, D. Grandi, E. Micelotta, P.G. Rancoita, Geographical feature of the AMS belts : a simulation with particle tracing, 8th ICATPP Conference on Astroparticle, Particle, Space Physics, Detectors and Medical Physics Applications (Instrumentation as a tool for detection of radiation and effects of radiation in particle physics, astroparticle physics, space and medical applications), Villa Erba, Como 6-10 October 2003.
15. Bobik, P., M. Boschini, M. Gervasi, D. Grandi, K. Kudela, E. Micelotta, P.G. Rancoita, Cosmic ray spectrum at 1 AU: a transmission function approach to the magnetosphere, *Proceedings ESA SP-535*, p. 633-636, ISCS 2003
16. Bobik, P., M. Gervasi, D. Grandi, P. G. Rancoita, I. G. Usoskin, Solar modulation models: a comparison through a 2D stochastic simulation, 8th ICATPP Conference on Astroparticle, Particle, Space Physics, Detectors and Medical Physics Applications (Instrumentation as a tool for detection of radiation and effects of radiation in particle physics, astroparticle physics, space and medical applications), Villa Erba, Como 6-10 October 2003.
17. Bobik, P., M.Gervasi, D. Grandi, P.G. Rancoita, I.G. Usoskin, 2D stochastic simulation model of cosmic ray modulation: Comparison with experimental data, *Proceedings ESA SP-533*, p. 637-640, ISCS 2003

18. Bobik, P., M.Gervasi, D.Grandi, P.G.Rancoita, I.G.Usoskin, 2D stochastic simulation model of cosmic ray modulation: Comparison with experimental data, Proceedings ESA SP-533, p. 637-640, ISCS 2003
19. Bogomolov A.V., Ignat'ev A.P., Kudela K., Kuznetsov S.N., Logachev Y.I., Morozov O.V., Myagkova I.N., Oparin S.N., Pertsov A.A., Svertilov S.I., Yushkov B.Y., Parameters of the intense X-ray and gamma-ray radiation from the solar flare of May 20, 2002; as observed from the Coronas-F spacecraft, *Astron. Lett.*, 29 (3): 199-204, 2003
20. Bochev, A.Y., K. Kudela, Dynamics of Field Aligned currents and energetic particle fluxes in the mid-altitude cusp by INTERBALL-Auroral, March-April 1997 (abstract p 22)
21. Bradnova V, Chernyavsky MM, Gaitinov AS, Goncharova LA, Just L, Kharlamov SP, Kovalenko AD, Haiduc M, Larionova VG, Lepekhin FG, Malakhov AI, Orlova GI, Peresadko NG, Polukhina NG, Rukoyatkin PA, Rusakova VV, Salmanova NA, Simonov BB, Vokal S, Zarubin PI, Zarubina IG, Studies of light nucleus clustering in relativistic multifragmentation processes, ACTA PHYSICA SLOVACA 54 (4): 351-365 AUG 2004
22. Bradnova V, Chernyavsky MM, Just L, Kharlamov SP, Kovalenko AD, Haiduc M, Kotel'nikov KA, Krasnov VA, Larionova VG, Lepekhin FG, Malakhov AI, Orlova GI, Peresadko NG, Polukhina NG, Rukoyatkin PA, Rusakova VV, Salmanova NA, Simonov BB, Vokal S, Zarubin PI, Beryllium (boron) clustering quest in relativistic multifragmentation (BECQUEREL project), PHYSICS OF ATOMIC NUCLEI , 66 (9): 1646-1650 SEP 2003
23. Bučík R, Kudela K, Dmitriev A.V, Kuznetsov S.N., Myagkova I.N., Ryumin S.P., Spatial distribution of low energy gamma-rays associated with trapped particles, *Adv. Space Res.*, 30 (12): 2843-2848 2002
24. Bučík R, Kudela K, On mass in 4 pi solid angle around SONG CsI scintillator aboard CORONAS-I satellite, *Acta Physica Slovaca*, 53 (4): 329-345, 2003
25. Bučík, R., J. Blecki, N. Cornilleau-Wehrlin, G. Gustafsson, A. Guthmann, Z. Klos, and M. Parrot, Cusp crossing as viewed by Cluster plasma wave measurements, abstract COSPAR04-A-03363, 35th COSPAR Scientific Assembly, Paris, France, 19-25 July 2004
26. Bučík, R., Cusp plasma waves observations, RTN Young Researchers meeting 2004, Uppsala, Sweden, 23-25 June 2004.
27. Bučík, R., J. Blecki, K. Kudela, S. N. Kuznetsov, M. Parrot, Searching for TGF, RTN Young Researchers meeting, RTN Young Researchers meeting, IFSI, Rome, Italy, 10-12 November 2004
28. Bučík, R., K. Kudela, S. N. Kuznetsov, I. N. Myagkova, and B. Yu. Yushkov, Searching for lightning-induced terrestrial gamma-ray bursts on CORONAS-F satellite, NATO Advanced Study Institute on Sprites, Elves and Intense Lightning Discharges, Corte, Corsica, July 24-31, 2004.
29. Bučík, R., Kudela, K., Kuznetsov, S.N., Myagkova, I.N., Ryumin, S.P., Review of electron fluxes within the local drift loss cone: measurements on CORONAS-I satellite, *Adv. Space Res.*, accepted 2003

30. Bučík, R., Kudela, K., Kuznetsov, S.N., Myagkova, I.N., Ryumin, S.P., Review of electron fluxes within the local drift loss cone: measurements on CORONAS-I satellite, *Adv. Space Res.*, accepted, Feb. 2003
31. Bučík, R., Kudela, K., Kuznetsov, S.N., Myagkova, I.N., The fluxes of gamma rays in the magnetic coordinates L,B at CORONAS-I altitude, The International Space Environment Conference 2003: Radiation Belt Science (ISEC 2003), September 2-5, Toulouse, France
32. Bučík, R., Spatial and energy-spectral distribution of the secondary low-energy gamma-ray fluxes in the near-Earth's environment, The mid-term review of the RTN, IRF, Uppsala, Sweden, 26-27 January 2004
33. Bučík, R.: The fluxes of secondary gamma rays observed at low Earth polar orbit, PhD thesis, UPJŠ, Košice, Slovakia, December, 2003, defended in May 2004
34. Bučík, R., J. Blecki, Y. V. Bogdanova, N. Cornilleau-Wehrlin, G. Gustafsson, Z. Klos, M. Parrot, Cusp crossing as viewed by Cluster ELF wave measurements, RTN Young Researchers meeting, IFSI, Rome, Italy, 10-12 November 2004.
- 34a. Bučík, R., J. Blecki, Y. V. Bogdanova, A. Fazakerley, N. Cornilleau-Wehrlin, G. Gustafsson, Z. Klos, M. Parrot, O. Santolik, RTN Young Researchers meeting, IFSI, Rome, Italy, 10-12 November 2004.
35. Grachev E, Grigoryan O, Juchniewicz J, Klimov S, Kudela K, Petrov A, Štetiarová J, Low energy protons on  $L \leq 1.15$  in 500-1500 km range, *Adv. Space Res.*, 30 (7): 1841-1845 2002
36. Grandi Davide Piergiorgio Rancoita, Massimo Gervasi, Pavol Bobik, Elisabetta Micelotta, Matteo Boschini, A Backtracing Code to Study the Evolution of the Magnetosphere Transmission Function for Primary Cosmic Rays, Chapman Conference on Physics and Modelling of the Inner Magnetosphere, Helsinki, Finland, 25-29 August 2003, AGU Monograph on the Physics and Modeling of the Inner Magnetosphere, Editor : Tuija I. Pulkkinen, accepted (2004)
37. Grigoryan, O., K. Kudela , M.Panasyuk, A.Petrov , H.Rothkaehl , V.Shevleva , Z.Kłos , Z.Zbyszynski HIGH ENERGY PARTICLES AND WAVES NEAR EQUATOR ACCORDING DIFFERENT SATELLITE EXPERIMENTS DATA, abstract, P, International Conference Plasma 2003, Warsaw, Poland, September 9-12, 2003
38. Grigoryan, O., K. Kudela, A.Petrov, H.Rothkaehl, V.Shevleva, Z.Kłos, Z.Zbyszynski, HIGH ENERGY PARTICLES AND WAVES IN LOW AND MIDDLE LATITUDES REGION ACCORDING DIFFERENT SATELLITE EXPERIMENTAL DATA, abstract, P, International Conference Plasma 2003, Warsaw, Poland, September 9-12, 2003
39. Grigoryan, O., K. Kudela, H. Rothkaehl, V. Shevleva, The electron formation under the radiation belts at L-shells 1.2-1.9, PSRB1/F2.9-0007-04, 35th COSPAR Sci. Assembly, Paris, France, July 18-25, 2004.

40. Hayosh, M., J. Šafránková, Z. Němeček, L. Přech, K. Kudela, G.N. Zastenker: Relationship between high-energy particles and ion flux in the magnetosheath, *Planetary and Space Sciences*, accepted, 2004
41. Chang SW, Scudder JD, Kudela K, Spence HE, Fennell JF, Lepping RP, Lin RP, Russell CT, Reply to comment on "MeV magnetosheath ions energized at the bow shock" by J. Chen, T. A. Fritz, and R. B. Sheldon, *J. Geophys. Res.*, A 108 (A8): art. no. 1312, 2003
42. Kecskeméty Károly, Karel Kudela, Susan McKenna-Lawlor , Characteristics of upstream particle fluxes near and far from the Earth's bow shock, *Proceedings ESA SP-535*, p. 667-670, ISCS 2003
43. Kecskeméty, K., G. Erdős, G. Facskó, M. Tátrallyai, I. Dandouras, P. Daly, K. Kudela, Distributions of suprathermal ions near hot flow anomalies observed by RAPID aboard CLUSTER, D3.1-0011-04, 35th COSPAR Sci. Assembly, Paris, France, July 18-25, 2004.
44. Kecskeméty, Károly, Karel Kudela , Susan McKenna-Lawlor , Characteristics of upstream particle fluxes near and far from the Earth's bow shock, *Proceedings ESA SP-535*, p. 667-670, ISCS 2003
45. Klimov SI, Grushin VA, Lissakov YV, Nozdrachev MN, Petrukovich AA, Grachev EA, Grigoryan OR, Lysakov DS, Schwingenschuh K, Auster HU, Fornacon KH, Rustenbach J, Korepanov VE, Juchniewicz J, Afanasjev YV, Kudela K, Interball-1 and MIR orbital station coordinated magnetic field and energetic particles measurements, *Adv. Space Res.*, 30 (7): 1847-1853 2002
46. Kozlov Valery, Karel Kudela, Sergei Starodubtsev, Alexey Turpanov, Ilya Usoskin, Victor Yanke, Neutron monitor data base in real time, *Proceedings ESA SP-535*, p. 675-678, ISCS 2003
47. Kozlov, V., L. Ksenofontov, K. Kudela, S. Starodubtsev, A. Turpanov, I. Usoskin, V. Yanke, Real-time Cosmic Ray Database (RECORD), *28th International Cosmic Ray Conference, Tsukuba, JP*, Universal Academy Press, Inc., ed. T. Kajita et al, p. 3473-3476, 2003
48. Kozlov, Valery, Karel Kudela, Sergei Starodubtsev, Alexey Turpanov, Ilya Usoskin, Victor Yanke, Neutron monitor data base in real time, *Proceedings ESA SP-535*, p. 675-678, ISCS 2003
49. Kudela K, Brenkus R, Cosmic ray decreases and geomagnetic activity: list of events 1982-2002, *JOURNAL OF ATMOSPHERIC AND SOLAR-TERRRESTRIAL PHYSICS* 66 (13-14): 1121-1126 SEP 2004
50. Kudela K., Bingsen Xue , Guiming Le , Juan Miao , G. Andrejková , Geomagnetic activity onset predictions: problems with possible signatures in cosmic rays, *Proceedings ESA SP-535*, p. 575-578, ISCS 2003
51. Kudela, K. and P. Bobik, Long term variations of geomagnetic rigidity cutoffs., *Solar Physics*, accepted, 2004

52. Kudela, K., P. Daxner, O. Dzvoník, M. Slivka, J. Štetiarová, Dátové bázy pre výskum možných vzťahov kozmického počasia a niektorých parametrov výkonnosti zdravotného stavu leteckého personálu, seminár „Človek vo svojom pozemskom a kozmickom prostredí“, Úpice, ČR, 20.-22. máj 2003
53. Kudela, K., Baláž, J., Strhársky, I., Energetic particle monitoring in space: three decades of experience at IEP SAS, in *RAST2003, Proc. of the International Conference on Recent Advances in Space Technologies*, November 20-22, 2003, Istanbul, Turkey, ed. S. Kurnaz, F.Ince, S.Onbasioglu, p. 173-178, 2003
54. Kudela, K., Bingsen Xue , Guiming Le , Juan Miao , Gabriela Andrejková , Geomagnetic activity onset predictions: problems with possible signatures in cosmic rays, Proceedings ESA SP-535, p. 575-578, ISCS 2003
55. Kudela, K., Extreme disturbances in space in October-November 2003: Energetic space particles, Proc. 2nd Conference MWT 2004 (Microwave and Wireless Technology 2004, FEI TU Košice, September 13-14, p. 81-83
56. Kudela, K., I.G. Usoskin, On magnetospheric transmissivity of cosmic rays, CZECHOSLOVAK JOURNAL OF PHYSICS, 54 (2): 239-254 FEB 2004
57. Kudela, K., Kosmické počasí a energetické kozmické částice, pozvaný prehľadový referát, seminár „Človek vo svojom pozemskom a kozmickom prostredí“, Úpice, ČR, 20.-22. máj 2003
58. Kudela, K., Kozmické žiarenie a slnečné radiové emisie: príklady porovnania, Mikrovlnová a bezdrôtová technika 2003, zb. referátov z 1. seminára a výstavy, ed. A. Feník, TU Košice, p. 45-50, 2003
59. Kudela, K., M. Minarovjech, V. Rušin, M. Rybanský, V. Kollár: On one approach to Space Weather Studies from Ground based observations during 1953-2001, *Adv. Space Res., accepted, 2004.*
60. Kudela, K., M. Slivka, ENERGETIC PARTICLES NEAR THE BOW SHOCK: INTERBALL-1 DATA, EGU 1st General Assembly, Nice, 25-30 April, 2004, abstract, Geophysical Research Abstracts, Vol. 6, 04677, 2004, SRef-ID: 1607-7962/gra/EGU04-A-04677
61. Kudela, K., M. Slivka, Energetické častice v kozme a kozmické počasie. Slovenský príspevok k štúdiu efektov október – november 2003, 17. Celoštátny slnečný seminár, Stará Lesná, 27. máj 2004
62. Kudela, K., M. Slivka, Extreme disturbances in space in October-November 2003 : Slovak contribution to study of energetic particles, Zborník 14. konferencie slovenských fyzikov v Smoleniciach, editor M.Reiffers, zaslané do tlače, október 2004.
63. Kudela, K., M. Slivka, Strong space storms in October-November 2003, International conference on aerospace medicine, abstract, Košice, June 15-18, 2004.

64. Kudela, K., M. Storini, Cosmic ray variability around the geomagnetic disturbances, *28th International Cosmic Ray Conference*, Tsukuba, JP, Universal Academy Press, Inc., ed. T. Kajita et al, p. 3589-3592, 2003
65. Kudela, K., M. Storini, Cosmic ray variability around the geomagnetic disturbances, *28th International Cosmic Ray Conference*, Tsukuba, JP, Universal Academy Press, Inc., ed. T. Kajita et al, p. 3589-3592, 2003
66. Kudela, K., M. Storini, Cosmic Ray Variability around the time of geomagnetic disturbances, IAGA/ICMA 3rd Workshop, Solar Forcing of the Middle Atmosphere, Praha, ÚFA AV ČR, September 15-18, 2003, abstract p. 34
67. Kudela, K., M. Storini, Useful tools for Space Weather issues from cosmic ray continuous records, solicited presentation, P0151, D1.3/E2.4-0054-04, 35th COSPAR Sci. Assembly, Paris, France, July 18-25, 2004.
68. Kudela, K., M. Storini: Can we use cosmic ray continuous records to forecasts enhanced geomagnetic activity level?, EGU 1st General Assembly, Nice, 25-30 April, 2004, abstract, Geophysical Research Abstracts, Vol. 6, 07269, 2004 SRef-ID: 1607-7962/gra/EGU04-A-07269 European Geosciences Union 2004
69. Kudela, K., P. Bobík, Long term variations of cutoff rigidity, 1st International Symposium on Space Climate, Oulu, Fínsko, June 20-23, 2004, invited talk.
70. Kudela, K., R. Brenkus, Cosmic Ray Decreases and Geomagnetic activity: List of Events 1982-2002, SPECIAL Workshop, U. Frankfurt, Germany, February 20-22, 2003,
71. Kudela, K., Sibeck, D.G.,Slivka M., Lutsenko V., Gretchko T., Sarris E.T., High Energy Particle Dispersion Events Observed by Interball-1 and -2, *Adv. Space Res.*, 30 (12): 2849-2854 2002
72. Kudela, K., Solar Neutron Observations: Contribution of IEP SAS to the study, in *Cosmic Rays and Dark Matter*, ed. Y. Muraki, Universal Academy Press, inc., Tokyo, Japan, p. 93-102, 2004, invited
73. Kudela, K., V.N. Lutsenko, D.G. Sibeck and M. Slivka, Energetic ions upstream of the Earth's bow shock: Interball-1 survey, *Adv. Space Res.*, vol. 30, No 12, p. 2731-2736, 2002
74. Kudela, K., V.N. Lutsenko, D.G. Sibeck, and M. Slivka, Energetic ions and electrons within the magnetosheath and upstream of the bow shock: Interball-1 overview, *Adv. Space Res.*, vol. 30, No 7, p. 1685-1692, 2002
75. Kudela, K., V.N. Lutsenko, D.G. Sibeck, M. Slivka, T.V. Gretchko and E.T. Sarris: High energy particle dispersion events observed by Interball-1 and -2, *Adv. Space Res.*, vol. 30, No. 12, p. 2849-2854, 2002
76. Kudela, K., V.N. Lutsenko, E.T. Sarris, D.G. Sibeck, M. Slivka: DOK-2 ion fluxes upstream from the bow shock: characteristics from 4 years of Interball-1 measurements, Accepted for publication, *Planetary and Space Sciences, accepted*, 2004

77. Kudela, K., Variabilita kozmického žiarenia a kozmické počasie, 16. celoštátny slnečný seminár, Turč. Teplice, 2002, vyd. Slovenská ústredná hvezdáreň Hurbanovo, p. 186-195, 2002
78. Kudela, K., Vzťahy kozmického žiarenia a kozmického počasia, v zb. Veda na oboch brehoch Dunaja, Prednášky z konferencie Naše spoločné akademické výskumy (aj preklad v maďarskom jazyku), Kultúrny inštitút Maďarskej republiky, vydavateľstvo Kalligram, str. 87-88, 2002
79. Kurilchik, V., V. Prokudina, K. Kudela, M. Slivka, The study of relations between kilometric radiobursts and energetic electrons during powerful solar flares: INTERBALL-1, Proceedings *ESA SP-535*, 679-682, ISCS 2003
80. Kurilchik, V., V. Prokudina, K. Kudela, M. Slivka, The study of relations between kilometric radiobursts and energetic electrons during powerful solar flares: INTERBALL-1, Proceedings *ESA SP-535*, 679-682, ISCS 2003
81. Kuznetsov S., Kurt Victoria, Yushkov B., Myagkova I. Kudela K. Belov A., Caroubalos C. Hilaris A., Mavromichalaki H., Mussas X., Preka-Papadema G. October 28, 2003 X10 Flare: High Energy Gamma Emission, Type II Radio Emission and Solar Particle Observations, 19th ECRS, Firenze, Italy, August 30 – September 3, 2004
82. Kuznetsov SN, Bogomolov AV, Denisov YI, Kordylewski Z, Kudela K, Kurt VG, Lisin DV, Myagkova IN, Podorol'skii AN, Podosenova TB, Svertilov SI, Sylvester J, Stepanov AI, Yushkov BY, The solar flare of November 4, 2001, and its manifestations in energetic particles from Coronas-F data, *Solar System Res.*, 37 (2): 121-127, 2003
83. Kuznetsov, S. N., K. Kudela, S.P. Ryumin, Y.V. Gotselyuk, Coronas F satellite: Tasks for study of particle acceleration, *Adv. Space Res.*, 30, No 7, pp. 1857-1863, 2002
84. Kuznetsov, S.N., B. Yu. Yushkov, K. Kudela, J. Lemaire, I.N. Myagkova, L.I. Starostin, Yu.I. Denisov, Evolution of outer radiation belt during the month of November 2001, according to relativistic electron observations from the CORONAS-F mission, The International Space Environment Conference 2003: Radiation Belt Science (ISEC 2003), September 2-5, Toulouse, France
85. Kuznetsov, S.N., B.Yu. Yushkov, K. Kudela, E.A. Muraveva, I.N. Myagkova, L.I. Starostin, J. Lemaire, Dynamics of the Radiation Belts during Magnetic Storms of October 29-30, 2003, D3.1-0025-04, 35th COSPAR Sci. Assembly, Paris, France, July 18-25, 2004.
86. Kuznetsov, S.N., B.Yu. Yushkov, K. Kudela, J. Lemaire, I.N. Myagkova, Penetration of solar energetic particles (SEP) into the magnetosphere, The International Space Environment Conference 2003: Radiation Belt Science (ISEC 2003), September 2-5, Toulouse, France
87. Kuznetsov, S.N., I.N. Myagkova, S.P. Ryumin, K. Kudela, R. Bučík, H. Mavromichalaki, Effects of the April 1994 Forbush events on the fluxes of the energetic charged particles measured on board CORONAS-I satellite: their connection with conditions in the interplanetary medium, *Journal of Atmospheric and Solar-Terrestrial Physics*, Volume 64, Issues 5-6, s.535-539, 2002

88. Kuznetsov, S.N., K. Kudela, I.N. Myagkova, A.N. Podorolsky, B. Yu. Yushkov, Solar energetic particles in October – November, 2003, SEE 2003, Moscow July 12-14, 2004, Programme and Abstract Book , ed. M.I.Panasyuk, V.V. Kalegaev, Moscow State U., p.32.
89. Kuznetsov, S.N., K. Kudela, I.N. Myagkova, A.N. Podorolsky, S.P. Ryumin, B.Y. Yushkov, First experience with SONG-M measurements on board of CORONAS-F satellite, *Indian J. Radio and Space Physics*, accepted, 2004
90. Kuznetsov, S.N., K. Kudela, I.N. Myagkova, B. Yu. Yushkov, High energz neutral emissions from the Sun: indications by SONG-M on CORONAS-F, P0223, D2.5/E3.5-0066-04, 35th COSPAR Sci. Assembly, Paris, France, July 18-25, 2004.
91. Kuznetsov, S.N., K. Kudela, I.N. Myagkova, B.Yu. Yushkov, Dynamics of SEP penetration boundaries during magnetic stiorms on October 29-30, 2003, SEE 2003, Moscow July 12-14, 2004, Programme and Abstract Book , ed. M.I.Panasyuk, V.V. Kalegaev, Moscow State U., p.71.
92. Kuznetsov, S.N., K. Kudela, I.N. Myagkova, B.Yu. Yushkov, Gamma and X-ray solar flare emissions: CORONAS-F measurements, *28th International Cosmic Ray Conference*, Tsukuba, JP, Universal Academy Press, Inc., ed. T. Kajita et al, p. 3183-3186, 2003
93. Kuznetsov, S.N., K. Kudela, I.N. Myagkova, B.Yu. Yushkov, Gamma and X-ray solar flare emissions: CORONAS-F measurements, 28th International Cosmic Ray Conference, Tsukuba, JP, Universal Academy Press, Inc., ed. T. Kajita et al, p. 3183-3186, 2003
94. Kuznetsov, S.N., K. Kudela, I.N. Myagkova, B.Yu. Yushkov:SONG-M on CORONAS-F: measurements of high energy neutral emissions from the Sun, Chapman conference on Solar Energetic Plasmas and Particles, Turku, Finland, August 1-6, 2004
95. Kuznetsov, S.N., K. Kudela, M. Slivka, L.L.Lazutin, E.A.Murav'eva, I.N.Myagkova, B.Yu.Yuskov, SEE 2003, Moscow July 12-14, 2004, Programme and Abstract Book , ed. M.I.Panasyuk, V.V. Kalegaev, Moscow State U., p.50.
96. Kuznetsov, S.N., Myagkova, I.N., Yushkov, B. Y., Kudela, K., X ray and gamma ray emission solar flare catalogue obtained by SONG on board CORONAS-F satellite, Proceedings *ESA SP-535*, p. 683-686, ISCS 2003
97. Kuznetsov, S.N., Myagkova, I.N., Yushkov, B. Y., Kudela, K., X ray and gamma ray emission solar flare catalogue obtained by SONG on board CORONAS-F satellite, Proceedings *ESA SP-535*, p. 683-686, ISCS 2003
98. Kuznetsov, S.N., V. Kurt, I.N. Myagkova, B. Yushkov, K. Kudela, A. Belov, H. Mavromichalaki, C. Caroubalos, A. Hilaris, G. Preka-Papadema, X. Moussas, October 28 2003 X10 Flare: High Energy Gamma Emission, Type II Radio Emission and Solar Particles Observations. Chapman conference on Solar Energetic Plasmas and Particles, Turku, Finland, August 1-6, 2004
99. Kuznetsov, S.N., V.G. Kurt, I.N. Myagkova, K. Kudela, High energz neutral emissions of large solar flares in the end of October, 2003, SEE 2003, Moscow July 12-14,

2004, Programme and Abstract Book , ed. M.I.Panasyuk, V.V. Kalegaev, Moscow State U., p.33.

100. Laštovička J, Križan P, Kudela K, Cosmic rays and total ozone at higher middle latitudes, *Adv. Space Res.*, 31 (9): 2139-2144, 2003

101. McKenna-Lawlor S, Kudela K, Kecskemeti K, Chang SW, Spacecraft measurements of ions and electrons ( $> 40$  keV) near and far upstream of the Earth's bow shock, *Adv. Space Res.*, 31 (4): 933-938 2003

102. McKenna-Lawlor Susan, Jan Baláž, Igor Strhársky, Stas Barabash, Klas Johnsson, Liu Zhenxing, Lu Li, Cao Jin-Bin, Shen Chao, Qiugang Zong, Edmond C. Roelof, Pontus C:son Brandt, Karel Kudela, Pu Zuying and Iannis Dandouras: An overview of the scientific objectives and technical configuration of the NeUtral Atom Detector Unit NUADU for the Chinese Double Star Mission. *Planetary and Space Sciences, accepted, 2004*

103. McKenna-Lawlor, S., Jan Balaz, Igor Strharsky, Stas Barabash, Klas Brinkfeldt, Lu Li, Chao Shen, Jiankui Shi, Qingang Zong, Karel Kudela, Suiyan Fu, Edmond C. Roelof, Pontus C. Son Brandt, Iannis Dandouras, The energetic NeUtral Atom Detector Unit (NUADU) for China's Double Star Mission and its calibration, *Nuclear Instruments and Methods in Physics Research Section A*, Volume 530, Issue 3, p. 311-322, 2004

104. McKenna-Lawlor, Susan, Jan Baláž, Stas Barabash, Klas Johnsson, Lu Li, Chao Shen, Jiankui Shi, Qingang Zong, Karel Kudela, Suiyan Fu, Edmond C. Roelof and Pontus C:son Brandt, A Neutral Atom Imager NUADU for the Chinese Double Star-Polar mission, 10th Space Physics Conference, Shanghai, China, October 17-21, 2003

105. Melnikov, V.F., I.N. Myagkova, V.E. Reznikova, S.N. Kuznetsov, K. Kudela, hard X rays, gamma and radiowaves from the solar flare 24.08.2002, presented at All Russian Astronomical Conference, Moscow, June 3-10, abstract, 2004

106. Minarovjech, M., K. Kudela, Cosmic rays and solar coronal emissions: Cross-correlations of the time series, *Solar Physics, accepted, 2004*

107. Minarovjech, M., V. Rušin, M. Rybanský, K. Kudela, V. Kollár, An approach to space weather studies from ground based observations, *Contrib. Astron. Obs. Skalnaté Pleso*, 2004, accepted, 2004

108. Miyasaka, H., K. Kudela, S. Shimoda, Y. Yamada, E. Sakamoto, K. Munakata, T. Yuda, Z.H. Tan, J.L. Zhang, Y.Q. Tang, H. Lu, H.B. Lu, Labaciren, X.R. Meng, A.F. Yuan, Geomagnetic Cutoff Variation Observed with TIBET Neutron Monitor, *28th International Cosmic Ray Conference, Tsukuba, JP*, Universal Academy Press, Inc., ed. T. Kajita et al, p. 3609-3612, 2003

109. Muraki, Z., E.O. Flueckiger, R. Buetikofer, A. Chilingarian, G. Hovsepian, Y.H. Tan, T. Yuda, H. Tsuchiya, S. Ohnishi, Y. Katayose, Y. Matsubara, T. Sako, K. Watanabe, S. Masuda T. Sakai, S. Shibata, R. Ogasawara, Y. Mizumoto, M. Nakagiri, A. Miyashita, P. H. Stoker, C. Lopate1, K. Kudela and M. Gross, Solar Neutron Events that have been found in Solar Cycle 23, *19th ECRS, Firenze, Italy*, August 30 – September 3, 2004

110. Myagkova, I.N., Kuzin, S.V., Kuznetsov, S.N., Kudela, K., Yushkov, B. Yu., Bogomolov, A.V., Observation of flare activitz of the Sun in the neutral radiation by appratus SPIRIT, SPR and SONG (CORONAS F), presented at All Russian Astronomical Conference, Moscow, June 3-10, abstract, 2004
111. Myagkova, I.N., S.N. Kuznetsov, B.Yu. Yushkov, K. Kudela, High energy neutral emissions observed by the SONG experiment onboard CORONAS-F during some of the large October-November 2003 solar flares, E2.3-0045-04, 35th COSPAR Sci. Assembly, Paris, France, July 18-25, 2004.
112. Myagkova, I.N., S.N. Kuznetsov, K. Kudela, B. Yu. Yushkov, Spectra af accelerated in flares electrons, hard X and gamma rays, observed by SONG instrument, presented at All Russian Astronomical Conference, Moscow, June 3-10, abstract, 2004
113. Přech, L., J. Šafránková, Z. Němeček, K. Kudela, Study of energetic particle anisotropy in weak and strong foreshocks, P0138, D1.3/E2.4-0045-04, 35th COSPAR Sci. Assembly, Paris, France, July 18-25, 2004.
114. Přech, L., J. Šafránková, Z. Němeček, K. Kudela: Interball-1 observations of plasma and energetic particle fluxes upstream of the Earth's bow shock, *Planetary and Space Sciences*, accepted, 2004
115. Přech, L., Šafránková, J., Němeček, Z., Kudela, K., INTERBALL-1 observations of plasma and energetic particle fluxes upstream of the Earth s bow shock (abstract, p.71)
116. Rothkaehl, H., Kudela, K., Klos, Z., Bucik, R., The global distribution of RF emission and low energy gamma ray fluxes in the topside ionosphere, EGS - AGU - EUG Joint Assembly, Abstracts from the meeting held in Nice, France, 6 - 11 April 2003, abstract #5257
117. Rothkaehl, H., R. Bucik, K. Kudela, I. Stanislawska, Z. Zbyszynski, Plasma ionospheric response of the seismic activity, Geophysical Research Abstracts, Vol. 6, 02993, 2004, presented at EGU 1st General Assembly, Nice, France, 25-30 April 2004.
118. Rothkaehl, H., R. Bucik, K.Kudela, I. Stanislawska, Z. Zbyszynski, PLASMA IONOSPHERIC RESPONSE OF THE SEISMIC ACTIVITY, EGU 1st General Assembly, Nice, 25-30 April, 2004, abstract, Geophysical Research Abstracts, Vol. 6, 02993, 2004, SRef-ID: 1607-7962/gra/EGU04-A-02993
119. Sabbah, I., K. Kudela , H.K.Al Jasaar , M.Rybanský, GALACTIC COSMIC RAY MODULATION DURING THE LAST FIVE SOLAR CYCLES, EGU 1st General Assembly, Nice, 25-30 April, 2004, abstract, Geophysical Research Abstracts, Vol. 6, 01182, 2004, SRef-ID: 1607-7962/gra/EGU04-A-01182
120. Sabbah, I., Kudela, K., Al Jassar, H.K., Rybanský, M., Dependence of the cosmic ray intensity upon solar coronal hole area, EGS - AGU - EUG Joint Assembly, Abstracts from the meeting held in Nice, France, 6 - 11 April 2003, abstract #8367
121. Slivka, M. K. Kudela, Určenie polohy neutrálneho bodu pomocou merania anizotropie tokov protónov stredných energií na družici INTERBALL-1, zborník 13. konferencie slovenských fyzikov, August 2003

122. Slivka, M. and K. Kudela, Proton fluxes in the neutral sheet: a case study by the DOK2 on Interball-1, *Czech. J. Phys.*, vol. 52, No 12, p. 1357-1369, 2002
123. Slivka, M. and K. Kudela: Anisotropy of proton fluxes in neutral sheet region measured by DOK2 on Interball-1, *Planetary and Space Sciences, accepted*, 2004
124. Slivka, M., K.Kudela, S.N.Kuznetsov, Dynamics of relativistic electrons during strong magnetic storms according to the CORONAS-F data, Zborník 14. konferencie slovenských fyzikov v Smoleniciach, editor M.Reiffers, zaslané do tlače, október 2004.
125. Slivka, M., K.Kudela, Shift of the radiation belt position of relativistic electrons during October-November 2003, Zborník 14. konferencie slovenských fyzikov v Smoleniciach, editor M.Reiffers, zaslané do tlače, október 2004.
126. Slivka, M., Kudela, K., Bipolárne topky protónov v plazmovej vrstve chvosta magnetosféry Zeme, zborník 13. konferencie slovenských fyzikov, August 2003
127. Spurný, F., Dachev, Ts., Kudela, K., Increase of onboard aircraft exposure level during a solar flare, *Bezpečnosť jadrovej energie*, 11 (49), p. 103-107, 2003
128. Spurný, F., K. Kudela, T. Dachev, Airplane radiation dose decrease during a strong Forbush decrease, *Space Weather*, Vol. 2, Iss. 5, S05001, doi:10.1029/2004SW000074, 2004
129. Spurný, F., K. Kudela, T. Dachev, Airplane radiation dose decrease during a strong Forbush decrease, F2.5-0002-04, 35th COSPAR Sci. Assembly, Paris, France, July 18-25, 2004.
130. Spurný, F., Ts. Datchev, and K. Kudela, Increase of the onboard Aircraft Exposure during a Solar Flare and its Quality Change, *Nuclear Energy Safety*, 11, 49, 103-107, 2003
131. Storini, M., K. Kudela, E.G. Cordaro, Ground level enhancements during solar cycle 23: results from SVIRCO, Lomnický Stit and LARC neutron monitors, P0182, D2.1/C2.2/E3.1-0067-04, 35th COSPAR Sci. Assembly, Paris, France, July 18-25, 2004.
132. Storini, M., K. Kudela, Neutron monitor data for space weather forecasts: potential possibilities and limits, 19th ECRS, Firenze, Italy, August 30 – September 3, 2004
133. Storini, M., K. Kudela, Neutron monitor data for space weather forecasts: potential possibilities and limits., First European Space Weather Week, ESTEC, Noordwijk, Holland, 29.11.-3.12, 2004
134. Storini, M., S. Massetti, K. Kudela, J. Rybák, On the shape of cosmic ray modulation during even and odd-numbered solar activity cycles, *28th International Cosmic Ray Conference, Tsukuba, JP*, Universal Academy Press, Inc., ed. T. Kajita et al, p. 4095-4098, 2003
135. Storini, M., S. Massetti, K. Kudela, J. Rybák, On the shape of cosmic ray modulation during even and odd-numbered solar activity cycles, *28th International Cosmic Ray Conference, Tsukuba, JP*, Universal Academy Press, Inc., ed. T. Kajita et al, p. 4095-4098, 2003

Conference, Tsukuba, JP, Universal Academy Press, Inc., ed. T. Kajita et al, p. 4095-4098, 2003

136. Trottet, G., T. Luehti, I.N. Myagkova, C. Dauphin, A. Magun, N. Vilmer, S.N. Kuynetsov, B.Y. Yushkov, K. Kudela, Centimeter/submillimeter and hard X-ray/gamma-ray observations of the GOES X12.7 flare on 2003 October 28, E2.3-0063-04, 35th COSPAR Sci. Assembly, Paris, France, July 18-25, 2004.

Collected by K. Kudela

October 28, 2004.